

Cell Culture Products



OVERVIEW



P. 14 Order | P. 15 Payment terms | P. 15 Product warranty



Fetal Bovine Serum

Product	Vol.	Cat.No.	*
Fetal Bovine Serum Advanced,	100 ml	FBS-11B	*
Collected in South America	500 ml	FBS-11A	
Fetal Bovine Serum,	100 ml	FBS-12B	*
Collected in South America	500 ml	FBS-12A	
Fetal Bovine Serum,	100 ml	FBS-22B	*
Origin USA	500 ml	FBS-22A	
Fetal Bovine Serum,	100 ml	FBS-52B	*
Origin Australia (available on request)	500 ml	FBS-52A	
Fetal Bovine Serum Bioprocess, Origin USA	100 ml 500 ml	FBS-24A	*
Fetal Bovine Serum,	100 ml	FBS-CS-12B	*
Collected in South America, Charcoal Stripped	500 ml	FBS-CS-12A	
Fetal Bovine Serum,	100 ml	FBS-DIA-12B	*
Collected in South America, Dialysed	500 ml	FBS-DIA-12A	
Fetal Bovine Serum,	100 ml	FBS-DL-12B	*
Collected in South America, Delipidated	500 ml	FBS-DL-12A	
Fetal Bovine Serum,	100 ml	FBS-ES-12B	*
Collected in South America, ES cell pre-tested	500 ml	FBS-ES-12A	
Fetal Bovine Serum, Collected in South America, Exosome Depleted	20 ml 50 ml 100 ml	FBS-ED-12G FBS-ED-12F FBS-ED-12B	*
Fetal Bovine Serum,	100 ml	FBS-LE-12B	*
Collected in South America, Low Endotoxin	500 ml	FBS-LE-12A	
Fetal Bovine Serum,	100 ml	FBS-IG-12B	*
Collected in South America, IgG Depleted	500 ml	FBS-IG-12A	
Fetal Bovine Serum,	100 ml	FBS-GI-12B	*
Collected in South America, Gamma Irradiated	500 ml	FBS-GI-12A	
Fetal Bovine Serum Advanced,	100 ml	FBS-HI-11B	*
Collected in South America, Heat Inactivated	500 ml	FBS-HI-11A	
Fetal Bovine Serum,	100 ml	FBS-HI-12B	*
Collected in South America, Heat Inactivated	500 ml	FBS-HI-12A	
Fetal Bovine Serum,	100 ml	FBS-HI-22B	*
Origin USA, Heat Inactivated	500 ml	FBS-HI-22A	
Fetal Bovine Serum, Tetracycline Negative,	100 ml	FBS-TET-12B	*
Collected in South America	500 ml	FBS-TET-12A	
Fetal Calf Serum,	100 ml	FCS-62B	*
Iron supplemented Bovine Serum	500 ml	FCS-62A	



Other Animal Sera

Product	Vol.	Cat.No.	*
Donor Horse Serum	100 ml 500 ml	DHS-1B DHS-1A	*
Horse Serum	100 ml 500 ml	HOS-1B HOS-1A	*
Goat Serum	100 ml 500 ml	GOA-1B GOA-1A	*
Mouse Serum	100 ml	MOU-1B	*
Porcine Serum	100 ml 500 ml	POR-1B POR-1A	*
Rabbit Serum	100 ml	RAB-1B	*
Rat Serum	100 ml	RAT-1B	*



Other Bovine Sera

Product	Vol.	Cat.No.	*
Adult Bovine Serum	100 ml 500 ml 1000 ml	ABS-1B ABS-1A ABS-1D	*
Calf Serum	100 ml 500 ml	CS-1B CS-1A	*
Calf Serum, Heat Inactivated	500 ml	CS-HI-1A	*
Newborn Calf Serum	100 ml 500 ml	NCS-1B NCS-1A	*
Newborn Calf Serum, Heat Inactivated	100 ml 500 ml	NCS-HI-1B NCS-HI-1A	*

Human Sera



Product	Vol.	Cat.No.	*
Human Serum, Type AB	100 ml	HUM-3B	*



Cell Culture Media

Classical Media, liquid

Product	Vol.	Cat.No. *
DMEM Low Glucose (1 g/l), w/o L-Glutamine, with Sodium Pyruvate	500 ml	DMEM-LPXA
DMEM Low Glucose (1 g/l), with L-Glutamine, with Sodium Pyruvate	500 ml	DMEM-LPA
DMEM Low Glucose (1 g/l), with Stable Glutamine, with Sodium Pyruvate	500 ml	DMEM-LPSTA
DMEM High Glucose (4.5 g/l) Advanced, w/o L-Glutamine	500 ml	DMEM-ADV-500ML
DMEM High Glucose (4.5 g/l), w/o L-Glutamine	500 ml	DMEM-HXA
DMEM High Glucose (4.5 g/l), w/o L-Glutamine, with Sodium Pyruvate	500 ml	DMEM-HPXA
DMEM High Glucose (4.5 g/l), w/o L-Glutamine, w/o Phenol Red	500 ml	DMEM-HXRXA
DMEM High Glucose (4.5 g/l), with L-Glutamine	500 ml	DMEM-HA
DMEM High Glucose (4.5 g/l), with L-Glutamine, with Sodium Pyruvate	500 ml	DMEM-HPA
DMEM High Glucose (4.5 g/l), with Stable Glutamine, with Sodium Pyruvate	500 ml	DMEM-HPSTA
DMEM High Glucose (4.5g/l), with Stable Glutamine, with 25 mM HEPES	500 ml	DMEM-HHSTA
DMEM/Ham's F-12, w/o L-Glutamine, with 15 mM HEPES	500 ml	DMEM-12-HXA
DMEM/Ham's F-12, with L-Glutamine	500 ml	DMEM-12-A
Ham's F-12, with L-Glutamine	500 ml	HAM-12-A
IMDM, with L-Glutamine, without Supplements	500 ml	IMDM-A
Leibovitz's L-15 Medium, w/o L-Glutamine	500 ml	L15-XA

Cell Culture Media

Classical Media, liquid

Product	Vol.	Cat.No.	*
McCoy's 5A Medium, with L-Glutamine	500 ml	MCC-A	
Medium 199 with Earle's Salts, with L-Glutamine	500 ml	M199-A	
MEM with Earle's Salts, w/o L-Glutamine	500 ml	MEM-XA	
MEM with Earle's Salts, with L-Glutamine	500 ml	MEM-A	
MEM with Earle's Salts, with Stable Glutamine	500 ml	MEM-STA	
MEM Alpha Modification, w/o L-Glutamine, w/o Nucleosides	500 ml	MEMA-XRXA	
MEM Alpha Modification, w/o L-Glutamine, with Nucleosides	500 ml	MEMA-RXA	
RPMI 1640 Advanced, w/o L-Glutamine	500 ml	RPMI-ADV-500ML	
RPMI 1640, w/o L-Glutamine	500 ml	RPMI-XA	
RPMI 1640, w/o L-Glutamine, with 25 mM HEPES	500 ml	RPMI-HXA	
RPMI 1640, w/o L-Glutamine, w/o Phenol Red	500 ml	RPMI-XRXA	
RPMI 1640, with L-Glutamine	500 ml	RPMI-A	
RPMI 1640, with L-Glutamine, with 25 mM HEPES	500 ml	RPMI-HA	
RPMI 1640, with Stable Glutamine	500 ml	RPMI-STA	

Classical Media, powder

Product	Vol.	Cat.No.	*
DMEM High Glucose (4.5 g/l) powder medium, with L-Glutamine, w/o Sodium Bicarbonate	10 L 50 L	DMEM-HA-P10 DMEM-HA-P50	
DMEM High Glucose (4.5 g/l) powder medium, with L-Glutamine, with Sodium Pyruvate, w/o Sodium Bicarbonate	10 L 50 L	DMEM-HPA-P10 DMEM-HPA-P50	



Classical Media, powder

Product	Vol.	Cat.No.	*
DMEM Low Glucose (1 g/l) powder medium, with L-Glutamine, with Sodium Pyruvate, w/o Sodium Bicarbonate	10 L 50 L	DMEM-LPA-P10 DMEM-LPA-P50	
MEM with Earle's Salts, powder medium, with L-Glutamine, w/o Sodium Bicarbonate	10 L 50 L	MEM-A-P10 MEM-A-P50	
RPMI 1640, powder medium, with L-Glutamine, w/o Sodium Bicarbonate	10 L 50 L	RPMI-A-P10 RPMI-A-P50	
RPMI 1640, with L-Glutamine, powder medium, with 25 mM HEPES, w/o Sodium Bicarbonate	10 L 50 L	RPMI-HA-P10 RPMI-HA-P50	-



Special Media

Product	Vol.	Cat.No.	*
TumorPlus 263 Complete Medium for Tumor Cells, with L-Glutamine	500 ml	TP-A	*
HybridomaPlus, Protein-free Complete Medium for Hybridoma Cells	500 ml	HY-A	
EndoPrime, Complete Medium for Endothelial Cells	100 ml 500 ml	EPR-B EPR-A	*
CHO ONE A, Adaptation Medium, w/o Insulin, w/o L-Glutamine, with Pluronic ™	500 ml	CHOA-500ML	
CHO ONE E, Expression Medium, w/o Insulin, w/o L-Glutamine, with Pluronic ™	500 ml 1000 ml	CHOE-500ML CHOE-1000ML	

Cell Culture Media

Special Media

Product	Vol.	Cat.No.	*
CHO ONE Feed 1, Supplement for CHO cells, w/o Insulin, w/o L-Glutamine	100 ml 500 ml	CHOF1-100ML CHOF1-500ML	
CHO ONE Feed 2, Supplement for CHO cells, w/o L-Glutamine	10 ml 50 ml	CHOF2-10ML CHOF2-50ML	
CHO ONE Starter Kit	-	CHO-K1	
HEK ONE T, Chemically Defined Medium for Transient Expression, w/o L-Glutamine, with Growth Hormones	1000 ml	HEKT-1000ML	
HEK ONE S, Chemically Defined Medium for Stable Expression, w/o L-Glutamine, with Growth Hormones	1000 ml	HEKS-1000ML	
HEK ONE Feed, Chemically Defined Feeding Supplement, w/o L-Glutamine	1000 ml	HEKF-1000ML	
VeroVax, Serum-Free Medium, w/o L-Glutamine	500 ml 1000 ml	VEV-500ML VEV-1000ML	
VeroPrime, Chemically Defined Medium, w/o L-Glutamine	500 ml 1000 ml	VEP-500ML VEP-1000ML	
BHK-Prime, Chemically Defined Medium, w/o L-Glutamine, with Pluronic	1000 ml	BHK-1000ML	



Cryopreservation Media

Product	Vol.	Cat.No.	*
FreezeMe One, Cryopreservation Medium with Fetal Bovine Serum	50 ml	FM1-F	*
FreezeMe Two, Cryopreservation Medium Serum-free	50 ml	FM2-F	*

Cell Culture Reagents

Supplements and Additives

Product	Vol.	Cat.No.	*
N2 Supplement (100x), Serum-free	5 ml	N2-K	*
NCS21 Supplement (50x), Serum-free	10 ml	C21-H	*
ITS (100x), Insulin, Transferrin, Selenium	10 ml	ITS-H	
Hybridoma Supplement, Serum-free	50 ml	HCS-F	*
L-Glutamine (200 mM)	100 ml	GLN-B	*
Stable Glutamine (200 mM)	100 ml	STA-B	*
MEM Nonessential Amino Acids (100x)	100 ml	NEAA-B	
Sodium Pyruvate (100 mM)	100 ml	NPY-B	
Insulin human recombinant Solution (5 mg/ml)	5 ml	INS-K	*
Glucose Solution (250 g/L)	50 ml	GLC-F	



Antibiotics

Product	Vol.	Cat.No.	*
Amphotericin B Solution (100x)	100 ml	AMP-B	*
Antibiotic/Antimycotic Solution (100x)	100 ml	AAS-B	*
Gentamicin Solution (10 mg/ml)	100 ml	GEN-10B	
MycoXpert, Mycoplasma Removal Reagent (50x)	100 ml	MYX-B	*
Penicillin/Streptomycin (100x)	100 ml	PS-B	*
Penicillin/Streptomycin (100x), with L-Glutamine	100 ml	PSG-B	*

Cell Culture Reagents

Cell Separation Media

Product	Vol.	Cat.No.	*
Lymphocyte Separation Medium,	100 ml	LSM-B	
Density 1.077 g/ml	500 ml	LSM-A	

Detachment

Product	Vol.	Cat.No.	*
Accutase Cell Detachment Solution	100 ml	ACC-1B	*
AccuMax Cell Detachment Solution	50 ml	ACM-1F	*
Trypsin-EDTA (0.05 %) in DPBS (1x)	100 ml	TRY-1B	*
Trypsin-EDTA (0.5 %) in DPBS (10x)	100 ml	TRY-1B10	*
Trypsin (0.25 %) in DPBS (1x)	100 ml	TRY-2B	*
Trypsin (2.5 %) in DPBS (10x)	100 ml	TRY-2B10	*
Trypsin-EDTA (0.25 %) in HBSS (1x), with phenol red	100 ml	TRY-3B	*
Trypsin-EDTA (0.05 %) in HBSS (1x), with phenol red	100 ml	TRY-4B	*

Transfection



Bovine Serum Albumin

Product	Vol.	Cat.No.	*
Bovine Serum Albumin, Standard Grade, pH 7.0, Origin USA	50 g 100 g 500 g	BSA-1U BSA-1S BSA-1T	
Bovine Serum Albumin, Diagnostic Grade, pH 7.0	50 g 100 g 500 g	BSA-DG-50G BSA-DG-100G BSA-DG-500G	
Bovine Serum Albumin, Fatty Acid Free, Origin USA	50 g 100 g	BSA-FAF-1U BSA-FAF-1S	
Bovine Serum Albumin, Protease Free, Origin USA	50 g 100 g	BSA-PF-1U BSA-PF-1S	



Balanced Salt Solutions

Buffer and Salt Solutions, liquid

Product	Vol.	Cat.No.	*
Dulbecco's PBS (1x), w/o Ca & Mg, w/o Phenol Red	500 ml	PBS-1A	
Dulbecco's PBS (10x), w/o Ca & Mg, w/o Phenol Red	500 ml	PBS-10XA	
Dulbecco's PBS (1x), with Ca & Mg, w/o Phenol Red	500 ml	PBS-2A	
Hanks' Balanced Salts, with Ca & Mg, w/o Phenol Red	500 ml	HBSS-1A	
Hanks' Balanced Salts, w/o Ca & Mg, w/o Phenol Red	500 ml	HBSS-2A	
Hanks' Balanced Salts, w/o Ca & Mg, with Phenol Red	500 ml	HBSS-3A	
HEPES Buffer Solution (1 M)	100 ml	HEP-B	

Buffer and Salt Solutions, powder

Product	Vol.	Cat.No.	*
Dulbecco's PBS (1x), powder, w/o Ca & Mg, w/o Phenol Red	10 L	PBS-1A-P10	
Dulbecco's PBS (1x), powder, w/o Ca & Mg, w/o Phenol Red	50 L	PBS-1A-P50	






Cytogenetics

Product	Vol.	Cat.No.	*
AmnioPrime Complete Medium for Cultivation of Amnion and Chorionic Villi Cells, CE Marked	100 ml	APR-B	*
LymphoPrime, Medium for Peripheral Blood Lymphocytes, CE Marked	100 ml	LPR-B	*
Colcemid Solution (10 µg/ml) in DPBS, CE Marked	10 ml	COL-H	
MarrowPrime Complete Medium for Bone Marrow Cells, CE Marked	100 ml	MP-B	*
Phytohemagglutin M (PHA-M), CE Marked	5 ml	РНА-К	*



Virology

Product	Vol.	Cat.No.	*
Viral Transport Medium, formula CDC, CE Marked	500 ml 1000 ml	VTM-500ML VTM-1000ML	
Viral Transport Medium, formula CDC, with Phenol Red, CE Marked	500 ml 1000 ml	VTM-R-500ML VTM-R-1000ML	
Viral Transport Medium, with Phenol Red, with Cryoprotectant, CE Marked	1000 ml	VTMC-R-1000ML	





ORDER

It is recommended that you fax or e-mail your order to Capricorn Scientific GmbH. Purchase orders by telephone will be also accepted, however we will not be held responsible for any errors in orders.

To place an order, please include the following:

- Your purchase order number and/or quotation number
- 2 Catalogue number and quantities
- Complete ship-to location (also bill-to address, if differing)
- 4 Contact name, customer ID number once assigned
- 5 Orders will be shipped with the company's standard lead-time unless otherwise specified

We will confirm receipt of your order by return fax or email only if requested.

CAPRICORN SCIENTIFIC

Your Partner in Cell Culture



PAYMENT TERMS

This price list is intended for transactions between Capricorn Scientific and commercial or institutional customers.

- All prices are in euro (€), ex works and do not include value-added tax. The prices stated in this price list are valid unless otherwise agreed in writing.
- Value-added tax, freight and dry ice costs (where applicable) are to be added.
- Payment is to be effected by bank transfer, without any deduction, within 21 days of receipt of our invoice unless otherwise arranged with Capricorn Scientific GmbH.



DRY ICE

All frozen products (marked with a line in this price list) will be shipped in Styrofoam boxes containing dry ice. Please notice that dry ice charges apply to these products. Caution should be taken when opening boxes containing dry ice.



PRODUCT WARRANTY

The customer is obliged to inspect goods delivered immediately upon receipt for completeness or visible signs of transport damage. Deliveries will be considered accepted if no complaints are made within five working days after receipt of the goods.

Capricorn Scientific GmbH cannot be held responsible for any loss, damage or inconvenience beyond replacement.

Any claim relating to product quality or failure to correspond with product specifications must be submitted in writing within seven (7) days after receipt of goods by customer.

Failure to notify Capricorn Scientific GmbH within this time may nullify product warrantees. Where a valid claim with respect to product quality, specification or delivery is accepted by Capricorn Scientific GmbH, the defective goods will either be replaced free of charge or will be the subject of a credit note.

Capricorn Scientific GmbH cannot be held liable for any claims where the goods supplied have been used in applications other than those specified on the product label or in the Capricorn Scientific catalogue.

Please contact Capricorn Scientific GmbH in advance in case of any return shipments.

WHY US?



Fast and efficient order processing



Customer-oriented product flexibility



Your Partner in Cell Culture

Capricorn Scientific GmbH Auf der Lette 13 A 35085 Ebsdorfergrund Germany

Tel.: +49 6424 944 64-0 Fax: +49 6424 944 64-20

info@capricorn-scientific.com



